CORRECTION Open Access

## Correction to: Diagnosis and management of transthyretin familial amyloid polyneuropathy in Japan: red-flag symptom clusters and treatment algorithm



Yoshiki Sekijima<sup>1</sup>, Mitsuharu Ueda<sup>2</sup>, Haruki Koike<sup>3</sup>, Sonoko Misawa<sup>4</sup>, Tomonori Ishii<sup>5</sup> and Yukio Ando<sup>2\*</sup>

Correction to: Orphanet Journal of Rare Diseases (2018) 13:6 https://doi.org/10.1186/s13023-017-0726-x

The authors would like to rectify the following errors in their published article [1]:

In Fig. 3 of the article (page 7 of the PDF), 'Val30Met' should be omitted from the figure legend, which should instead read: 'Red-flag symptom clusters specific to ATTR-FAP in Japan...'.

Similarly, in Fig. 5 of the article (page 10 of the PDF), 'Val30Met' should be omitted from the figure legend, which should instead read: 'Treatment algorithm specific to ATTR-FAP in Japan...'.

The authors believe that the applicability of the red-flag symptom clusters and treatment algorithm for this disease should not be limited to the Val30Met mutation and would like to present this with this Correction article.

Furthermore, in Fig. 5 of the article (page 10 of the PDF), the treatment algorithm, 'Modified body mass index (mBMI) <600', listed as the 2nd bullet under 'Evaluate for conventional LT indications', should be changed to 'Modified body mass index (mBMI) >600'.

This error occurred due to an inadvertent oversight.

## Author details

<sup>1</sup>Department of Medicine (Neurology and Rheumatology), Shinshu University School of Medicine, Matsumoto, Japan. <sup>2</sup>Department of Neurology, Graduate School of Medical Sciences, Kumamoto University, 1-1-1 Honjo, Chuo-ku, Kumamoto-shi, Kumamoto 860-8556, Japan. <sup>3</sup>Department of Neurology, Nagoya University Graduate School of Medicine, Nagoya, Japan. <sup>4</sup>Department of Neurology, Graduate School of Medicine, Chiba University, Chiba, Japan. <sup>5</sup>Pfizer Japan Inc., Tokyo, Japan.

Received: 9 May 2019 Accepted: 9 May 2019 Published online: 21 May 2019

## Reference

 Sekijima et al., Diagnosis and management of transthyretin familial amyloid polyneuropathy in Japan: red-flag symptom clusters and treatment algorithm. Orphanet Journal of Rare Diseases (2018) 13:6 https://doi. org/10.1186/s13023-017-0726-x.

<sup>&</sup>lt;sup>2</sup>Department of Neurology, Graduate School of Medical Sciences, Kumamoto University, 1-1-1 Honjo, Chuo-ku, Kumamoto-shi, Kumamoto 860-8556, Japan



<sup>\*</sup> Correspondence: andoy709@kumamoto-u.ac.jp