

CORRECTION

Open Access



# Correction to: High prevalence of symptomatic spinal stenosis in Norwegian adults with achondroplasia: a population-based study

Svein O. Fredwall<sup>1,2\*</sup> , Unni Steen<sup>1</sup>, Olga de Vries<sup>1</sup>, Cecilie F. Rustad<sup>3</sup>, Heidi Beate Eggesbø<sup>4</sup>, Harald Weedon-Fekjær<sup>5</sup>, Ingeborg B. Lidal<sup>1</sup>, Ravi Savarirayan<sup>6</sup> and Grethe Månnum<sup>2,7</sup>

## Correction to:

**Orphanet Journal of Rare Diseases (2020) 15:123**

<https://doi.org/10.1186/s13023-020-01397-6>

Following the publication of the original article [1], the authors became aware of the following error in Table 2:

In females, the correct range for arm span should be 97.6–134.9, instead of 56.0–62.8 as presented in the original article.

The corrected Table 2 is shown here below:

**Table 2 Anthropometric measurements of adults with achondroplasia**

Variables	Males (n = 27)		Females (n=23)	
	Mean (SD)	Range	Mean (SD)	Range
Height, cm	135.4 (9.5)	112.8–154.5	129.1 (7.6)	115.0–144.9
Weight, kg	62.4 (15.8)	42.1–95.8	54.0 (9.8)	32.3–68.6
Body mass index, kg/m <sup>2</sup>	34.0 (7.6)	21.7–49.9	32.4 (5.5)	21.8–43.8
Sitting height, cm <sup>a</sup>	86.9 (4.6)	73.8–93.5	84.6 (4.0)	76.8–91.9
Arm span, cm	120.3 (8.6)	98.4–137.7	110.6 (8.7)	97.6–134.9
Head circumference, cm	60.4 (1.4)	57.1–63.0	59.1 (1.9)	56.0–62.8

<sup>a</sup> Males: n = 25, females n = 22

## Author details

<sup>1</sup> TRS National Resource Centre for Rare Disorders, Sunnaas Rehabilitation Hospital, Nesodden, Norway. <sup>2</sup> Faculty of Medicine, Institute of Clinical Medicine, University of Oslo, Oslo, Norway. <sup>3</sup> Department of Medical Genetics, Oslo University Hospital, Oslo, Norway. <sup>4</sup> Division of Radiology and Nuclear Medicine, Oslo University Hospital, Oslo, Norway. <sup>5</sup> Oslo Centre for Biostatistics and Epidemiology, Research Support Service, Oslo University Hospital, Oslo, Norway. <sup>6</sup> Murdoch Children's Research Institute, University of Melbourne, Parkville, Australia. <sup>7</sup> Department of Research, Sunnaas Rehabilitation Hospital, Nesodden, Norway.

Published online: 07 December 2020

## Reference

1. Fredwall SO, et al. High prevalence of symptomatic spinal stenosis in Norwegian adults with achondroplasia: a population-based study. *Orphanet Journal of Rare Diseases*. 2020;15:123. <https://doi.org/10.1186/s13023-020-01397-6>.

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1186/s13023-020-01397-6>.

\*Correspondence: svfred@sunnaas.no

<sup>1</sup> TRS National Resource Centre for Rare Disorders, Sunnaas Rehabilitation Hospital, Nesodden, Norway

Full list of author information is available at the end of the article



© The Author(s) 2020. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.